


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used [~interfaces](#) [~table](#)

Found 40 of 157,956

Sort results by

relevance


[Save results to a Binder](#)

 Try an [Advanced Search](#)

 Try this search in [The ACM Guide](#)

Display results

expanded form


[Search Tips](#)
☐ Open results in a new window

Results 1 - 20 of 40

 Result page: [1](#) [2](#) [3](#) [next](#)

 Relevance scale ☐ ☐ ☐ ☐ ☐

### 1 [A toolkit for individualized compiler-writing projects](#)

Richard J. Reid

 February 1990 **ACM SIGCSE Bulletin , Proceedings of the twenty-first SIGCSE technical symposium on Computer science education**, Volume 22 Issue 1

 Full text available: [pdf\(488.91 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)


### 2 [Multi-Audible table for collaborative work](#)

Fusako Kusunoki, Ikuko Eguchi Yairi, Takuichi Nishimura

 September 2004 **Proceedings of the 2004 ACM SIGCHI International Conference on Advances in computer entertainment technology**

 Full text available: [pdf\(1.21 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)


This paper presents a prototype Multi-Audible system. By Multi-Audible, we mean that plural users have a portable device to hear different audio information during the interaction. The proposed system is an interactive art system that sends auditory information to a user through the device based on the position of that user's finger on a table with touch screen functionality. We describe the hardware and software configuration, contents of the proposed system, and some midterm experimental result ...

**Keywords:** CoBIT, collaborative work, computer-supported cooperative work, graphical user interfaces, interaction techniques, interactive contents, interactive table

### 3 [Integrated environment for intelligent control](#)

Ming Rao, Tsung-Shann Jiang, Jeffrey J.-P. Tsai

 June 1988 **Proceedings of the first international conference on Industrial and engineering applications of artificial intelligence and expert systems - Volume 1**


 Full text available: [pdf\(721.76 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)


### 4 [Next-generation visual supercomputing using PC clusters with volume graphics hardware devices](#)

Shigeru Muraki, Masato Ogata, Kwan-Liu Ma, Kenji Koshizuka, Kagenori Kajihara, Xuezheng Liu, Yasutada Nagano, Kazuro Shimokawa



November 2001 **Proceedings of the 2001 ACM/IEEE conference on Supercomputing (CDROM)**

Full text available:  [pdf\(6.54 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

To seek a low-cost, extensible solution for the large-scale data visualization problem, a visual computing system is designed as a result of a collaboration between industry and government research laboratories in Japan, also with participation by researchers in U.S. This scalable system is a commodity PC cluster equipped with the VolumePro 500 volume graphics cards and a specially designed image compositing hardware. Our performance study shows such a system is capable of interactive rendering ...

**Keywords:** distributed computing systems, graphics hardware, high performance I/O, parallel rendering, scalable systems, visualization, volume rendering

5 A cryptographic file system for UNIX

Matt Blaze

December 1993 **Proceedings of the 1st ACM conference on Computer and communications security**

Full text available:  [pdf\(955.62 KB\)](#)


Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Although cryptographic techniques are playing an increasingly important role in modern computing system security, user-level tools for encrypting file data are cumbersome and suffer from a number of inherent vulnerabilities. The Cryptographic File System (CFS) pushes encryption services into the file system itself. CFS supports secure storage at the system level through a standard Unix file system interface to encrypted files. Users associate a cryptographic key with the directories ...

6 Interfaces as specifications in the MIDAS user interface development systems

Regina H. B. Cabral, Ivan M. Campos, Donald D. Cowan, Carlos J. P. Lucena

April 1990 **ACM SIGSOFT Software Engineering Notes**, Volume 15 Issue 2

Full text available:  [pdf\(1.47 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [index terms](#)

This paper describes an evolving User Interface Development System called MIDAS (for Merging Interface Development with Application Specification) which allows interface/systems designers to develop an application-specific user interface interactively, in a prototyping-oriented environment, while refining the specification of the intended application itself. The interface/systems designer receives expert advice on both interface and application software design principles, emerging from MIDAS' knowledge ...

**Keywords:** direct manipulation interfaces, expert assistance, knowledge bases, lifecycle model, object-oriented design and development, prototyping, specifications, user interface development systems, user interface management systems, user interfaces, user models

7 Standardization approach of ITRON debugging interface specification and evaluation of its adaptability

Takayuki Wakabayashi, Hiroaki Takada

June 2002 **ACM SIGPLAN Notices , Proceedings of the joint conference on Languages, compilers and tools for embedded systems: software and compilers for embedded systems**, Volume 37 Issue 7

Full text available:  [pdf\(180.57 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Debugging environments for embedded systems unavoidably depend on the internal structure of the operating system (OS) in order to implement OS support functions. Since

the ITRON specification standardizes only the API, the internal structure of operating systems conforming to the ITRON Specification are different, resulting in difficulties in supporting ITRON-Specification operating systems for debugging environments. To solve this problem, we design the ITRON Debugging Interface Specification w ...

**Keywords:** ITRON specification, OS-aware debugging environment, cross development system environment


## 8 Multi-finger and whole hand gestural interaction techniques for multi-user tabletop displays

Mike Wu, Ravin Balakrishnan

November 2003

**Proceedings of the 16th annual ACM symposium on User interface software and technology**

Full text available:  [pdf\(1.10 MB\)](#) 

[mov\(3:4 MIN\)](#) 

[wmv\(3:4 MIN\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Recent advances in sensing technology have enabled a new generation of tabletop displays that can sense multiple points of input from several users simultaneously. However, apart from a few demonstration techniques [17], current user interfaces do not take advantage of this increased input bandwidth. We present a variety of multifinger and whole hand gestural interaction techniques for these displays that leverage and extend the types of actions that people perform when interacting on real physi ...

**Keywords:** collaborative and competitive applications, gestures, multi degree-of-freedom input, tabletop interaction

## 9 Interaction: User interfaces for interactive control of physics-based 3D characters

Peng Zhao, Michiel van de Panne

April 2005 **Proceedings of the 2005 symposium on Interactive 3D graphics and games**

Full text available:  [pdf\(423.39 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#)


We present two user interfaces for the interactive control of dynamically-simulated characters. The first interface uses an 'action palette' and targets sports prototyping applications. When used online, the user selects from a palette of actions (e.g., stand, pike, extend) during an ongoing simulation. Actions are defined in terms of a set of target joint angles for PD controllers or as feedback-based balance controllers. When used offline, the timing of the key motion events can be adjusted ma ...

**Keywords:** character animation, control, physics-based simulation, user interfaces

## 10 Modeling NII services: future needs for standards and interoperability

Christopher Dabrowski, William Majurski, Wayne McCoy, Shukri Wakid

December 1994 **StandardView**, Volume 2 Issue 4


Full text available:  [pdf\(1.49 MB\)](#)

Additional Information: [full citation](#), [references](#), [index terms](#)

## 11 Full papers: The TAC paradigm: unified conceptual framework to represent Tangible User Interfaces

Eduardo H. Calvillo-Gómez, Nancy Leland, Orit Shaer, Robert J. K. Jacob

August 2003 **Proceedings of the Latin American conference on Human-computer interaction**


Full text available:  [pdf\(221.36 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

This paper introduces a new paradigm for describing Tangible User Interfaces (TUI). The paradigm presented here encompasses existing TUI classifications and proposes a unified conceptual framework with which all TUIs can be understood. In order to show that the new paradigm holds and can be generalized we analyzed several existing TUIs using the proposed paradigm.

**Keywords:** Pyfo, TAC, Tangible User Interface (TUI)

12 Wisconsin Architectural Research Tool Set

Mark D. Hill, James R. Larus, Alvin R. Lebeck, Madhusudhan Talluri, David A. Wood  
September 1993 **ACM SIGARCH Computer Architecture News**, Volume 21 Issue 4

Full text available:  [pdf\(1.16 MB\)](#) Additional Information: [full citation](#), [citations](#), [index terms](#)

13 A high-performance object-oriented memory

Craig Hyatt  
September 1993 **ACM SIGARCH Computer Architecture News**, Volume 21 Issue 4

Full text available:  [pdf\(919.75 KB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

The proposed design places a high-performance object memory in a portable peripheral that relieves the host CPU of the burden of object address translation and the constant management of live objects. This flexible approach is designed for the newest generation of high-performance workstations running 32-bit Smalltalk, Lisp, C++ and other COP (object oriented programming) environments. With a two-layer cache and 50ns DRAM object memory, the hardware is capable of accessing object data (including ...

**Keywords:** RISC, binary-buddy allocation, capability-based protection

14 Object voxelization by filtering

Miloš Šrámek, Arie Kaufman  
October 1998 **Proceedings of the 1998 IEEE symposium on Volume visualization**

Full text available:  [pdf\(906.41 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**Keywords:** error estimation, filter-based voxelization, hierarchical subdivision, normal estimation, parametric surfaces, volume graphics, volume rendering

15 The sensing board enhanced by interactive sound system for collaborative work

Fusako Kusunoki, Ayako Isyama, Kouji Tokiwa, Takuichi Nishimura  
September 2004 **Proceedings of the 2004 ACM SIGCHI International Conference on Advances in computer entertainment technology**

Full text available:  [pdf\(792.64 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In this paper, we describe a new sensing board system enhanced with audio devices. Our previous board system provides users with common display images using tangible pieces, thus, users collaboratively work with visual and tangible information. On the other hand, the proposed system is characterized by the functionality of the direct responses of both sounds and images from the contents. Using the system, we develop three application systems with the following objectives: (1) Users enjoy interac ...

**Keywords:** CSCW, RFID, individual sound

16 Hierarchical disk cache management in RAID 5 controller

Jung-ho Huh, Tae-mu Chang

December 2003 **Journal of Computing Sciences in Colleges**, Volume 19 Issue 2

Full text available:  pdf(137.71 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In RAID system, disk cache is one of the important elements in improving the system performance. Two-level cache displays superior performance in comparison to single cache and is effective in temporal and spatial locality. The proposed cache system consists in two levels. The first level cache is a set associative cache with small block size whereas the second level cache is a fully associative cache with large block size. In this paper, a RAID 5 disk cache model is presented that is located on ...

17 Topology control & mobility: Modelling and performance analysis of the distributed scheduler in IEEE 802.16 mesh mode

Min Cao, Wenchao Ma, Qian Zhang, Xiaodong Wang, Wenwu Zhu

May 2005 **Proceedings of the 6th ACM international symposium on Mobile ad hoc networking and computing**

Full text available:  pdf(295.19 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)


To meet the needs of wireless broadband access, the IEEE 802.16 protocol for wireless metropolitan networks (WirelessMAN) has been recently standardized. The medium access control (MAC) layer of the IEEE 802.16 has point-to-multipoint (PMP) mode and mesh mode. Previous works on the IEEE 802.16 have primarily focused on the PMP mode. In the mesh mode, all nodes are organized in an ad hoc fashion and use a pseudo-random function to calculate their transmission time based on the scheduling informat ...

**Keywords:** 802.16, mesh, performance, scheduling, wireless

18 The design of a class mechanism for Moby

Kathleen Fisher, John Reppy

May 1999 **ACM SIGPLAN Notices , Proceedings of the ACM SIGPLAN 1999 conference on Programming language design and implementation**, Volume 34 Issue 5

Full text available:  pdf(1.50 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Typical class-based languages, such as C++ and JAVA, provide complex class mechanisms but only weak module systems. In fact, classes in these languages incorporate many of the features found in richer module mechanisms. In this paper, we describe an alternative approach to designing a language that has both classes and modules. In our design, we rely on a rich ML-style module system to provide features such as visibility control and parameterization, while providing a minimal class mechanism tha ...

19 Practical use of a polymorphic applicative language

Butler W. Lampson, Eric E. Schmidt

January 1983 **Proceedings of the 10th ACM SIGACT-SIGPLAN symposium on Principles of programming languages**

Full text available:  pdf(1.84 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

Assembling a large system from its component elements is not a simple task. An adequate notation for specifying this task must reflect the system structure, accommodate many configurations of the system and many versions as it develops, and be a suitable input to the many tools that support software development. The language described here applies the ideas of  $\lambda$ -abstraction, hierarchical naming and type-checking to this problem. Some

preliminary experience with its use is also given.

**20 Developing adaptive systems to fit individual aptitudes**



David Benyon, Dianne Murray

February 1993 **Proceedings of the 1st international conference on Intelligent user interfaces**

Full text available:  [pdf\(718.26 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**Keywords:** adaptive interfaces, individual differences, user models

Results 1 - 20 of 40

Result page: [1](#) [2](#) [3](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used [interfaces table](#)

 Found **55,098** of **157,956**

Sort results by

☒ [Save results to a Binder](#)

 Try an [Advanced Search](#)

Display results

☒ [Search Tips](#)

 Try this search in [The ACM Guide](#)
☐ Open results in a new window

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐ ☐

### 1 [A toolkit for individualized compiler-writing projects](#)

Richard J. Reid

 February 1990 **ACM SIGCSE Bulletin , Proceedings of the twenty-first SIGCSE technical symposium on Computer science education**, Volume 22 Issue 1

 Full text available: [pdf\(488.91 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

### 2 [Multi-Audible table for collaborative work](#)

Fusako Kusunoki, Ikuko Eguchi Yairi, Takuichi Nishimura

 September 2004 **Proceedings of the 2004 ACM SIGCHI International Conference on Advances in computer entertainment technology**

 Full text available: [pdf\(1.21 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper presents a prototype Multi-Audible system. By Multi-Audible, we mean that plural users have a portable device to hear different audio information during the interaction. The proposed system is an interactive art system that sends auditory information to a user through the device based on the position of that user's finger on a table with touch screen functionality. We describe the hardware and software configuration, contents of the proposed system, and some midterm experimental result ...

**Keywords:** CoBIT, collaborative work, computer-supported cooperative work, graphical user interfaces, interaction techniques, interactive contents, interactive table

### 3 [Integrated environment for intelligent control](#)

Ming Rao, Tsung-Shann Jiang, Jeffrey J.-P. Tsai


 June 1988 **Proceedings of the first international conference on Industrial and engineering applications of artificial intelligence and expert systems - Volume 1**

 Full text available: [pdf\(721.76 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

### 4 [Next-generation visual supercomputing using PC clusters with volume graphics hardware devices](#)

Shigeru Muraki, Masato Ogata, Kwan-Liu Ma, Kenji Koshizuka, Kagenori Kajihara, Xuezheng Liu, Yasutada Nagano, Kazuro Shimokawa

November 2001 **Proceedings of the 2001 ACM/IEEE conference on Supercomputing (CDROM)**

Full text available:  [pdf\(6.54 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

To seek a low-cost, extensible solution for the large-scale data visualization problem, a visual computing system is designed as a result of a collaboration between industry and government research laboratories in Japan, also with participation by researchers in U.S. This scalable system is a commodity PC cluster equipped with the VolumePro 500 volume graphics cards and a specially designed image compositing hardware. Our performance study shows such a system is capable of interactive rendering ...

**Keywords:** distributed computing systems, graphics hardware, high performance I/O, parallel rendering, scalable systems, visualization, volume rendering

5 A cryptographic file system for UNIX

Matt Blaze

December 1993 **Proceedings of the 1st ACM conference on Computer and communications security**

Full text available:  [pdf\(955.62 KB\)](#)


Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Although cryptographic techniques are playing an increasingly important role in modern computing system security, user-level tools for encrypting file data are cumbersome and suffer from a number of inherent vulnerabilities. The Cryptographic File System (CFS) pushes encryption services into the file system itself. CFS supports secure storage at the system level through a standard Unix file system interface to encrypted files. Users associate a cryptographic key with the directories ...

6 Interfaces as specifications in the MIDAS user interface development systems

Regina H. B. Cabral, Ivan M. Campos, Donald D. Cowan, Carlos J. P. Lucena

April 1990 **ACM SIGSOFT Software Engineering Notes**, Volume 15 Issue 2

Full text available:  [pdf\(1.47 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [index terms](#)

This paper describes an evolving User Interface Development System called MIDAS (for Merging Interface Development with Application Specification) which allows interface/systems designers to develop an application-specific user interface interactively, in a prototyping-oriented environment, while refining the specification of the intended application itself. The interface/systems designer receives expert advice on both interface and application software design principles, emerging from MIDAS' knowledge ...

**Keywords:** direct manipulation interfaces, expert assistance, knowledge bases, lifecycle model, object-oriented design and development, prototyping, specifications, user interface development systems, user interface management systems, user interfaces, user models

7 Standardization approach of ITRON debugging interface specification and evaluation of its adaptability

Takayuki Wakabayashi, Hiroaki Takada

June 2002 **ACM SIGPLAN Notices , Proceedings of the joint conference on Languages, compilers and tools for embedded systems: software and compilers for embedded systems**, Volume 37 Issue 7

Full text available:  [pdf\(180.57 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Debugging environments for embedded systems unavoidably depend on the internal structure of the operating system (OS) in order to implement OS support functions. Since






the ITRON specification standardizes only the API, the internal structure of operating systems conforming to the ITRON Specification are different, resulting in difficulties in supporting ITRON-Specification operating systems for debugging environments. To solve this problem, we design the ITRON Debugging Interface Specification w ...

**Keywords:** ITRON specification, OS-aware debugging environment, cross development system environment

# 8 Multi-finger and whole hand gestural interaction techniques for multi-user tabletop displays

Mike Wu, Ravin Balakrishnan

November 2003 **Proceedings of the 16th annual ACM symposium on User interface software and technology**

Full text available:  [pdf\(1.10 MB\)](#)  [mov\(3:4 MIN\)](#)  [wmv\(3:4 MIN\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Recent advances in sensing technology have enabled a new generation of tabletop displays that can sense multiple points of input from several users simultaneously. However, apart from a few demonstration techniques [17], current user interfaces do not take advantage of this increased input bandwidth. We present a variety of multifinger and whole hand gestural interaction techniques for these displays that leverage and extend the types of actions that people perform when interacting on real physi ...

**Keywords:** collaborative and competitive applications, gestures, multi degree-of-freedom input, tabletop interaction

# 9 Interaction: User interfaces for interactive control of physics-based 3D characters

Peng Zhao, Michiel van de Panne

April 2005 **Proceedings of the 2005 symposium on Interactive 3D graphics and games**

Full text available:  [pdf\(423.39 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#)


We present two user interfaces for the interactive control of dynamically-simulated characters. The first interface uses an 'action palette' and targets sports prototyping applications. When used online, the user selects from a palette of actions (e.g., stand, pike, extend) during an ongoing simulation. Actions are defined in terms of a set of target joint angles for PD controllers or as feedback-based balance controllers. When used offline, the timing of the key motion events can be adjusted ma ...

**Keywords:** character animation, control, physics-based simulation, user interfaces

# 10 Modeling NII services: future needs for standards and interoperability

Christopher Dabrowski, William Majurski, Wayne McCoy, Shukri Wakid

December 1994 **StandardView**, Volume 2 Issue 4

Full text available:  [pdf\(1.49 MB\)](#)

Additional Information: [full citation](#), [references](#), [index terms](#)

# 11 Wisconsin Architectural Research Tool Set

Mark D. Hill, James R. Larus, Alvin R. Lebeck, Madhusudhan Talluri, David A. Wood

September 1993 **ACM SIGARCH Computer Architecture News**, Volume 21 Issue 4

Full text available:  [pdf\(1.16 MB\)](#)

Additional Information: [full citation](#), [citations](#), [index terms](#)

12 Full papers: The TAC paradigm: unified conceptual framework to represent Tangible User Interfaces



Eduardo H. Calvillo-Gómez, Nancy Leland, Orit Shaer, Robert J. K. Jacob

August 2003 **Proceedings of the Latin American conference on Human-computer interaction**

Full text available: pdf(221.36 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

This paper introduces a new paradigm for describing Tangible User Interfaces (TUI). The paradigm presented here encompasses existing TUI classifications and proposes a unified conceptual framework with which all TUIs can be understood. In order to show that the new paradigm holds and can be generalized we analyzed several existing TUIs using the proposed paradigm.

**Keywords:** Pyfo, TAC, Tangible User Interface (TUI)

13 A high-performance object-oriented memory



Craig Hyatt

September 1993 **ACM SIGARCH Computer Architecture News**, Volume 21 Issue 4

Full text available: pdf(919.75 KB) Additional Information: [full citation](#), [abstract](#), [index terms](#)

The proposed design places a high-performance object memory in a portable peripheral that relieves the host CPU of the burden of object address translation and the constant management of live objects. This flexible approach is designed for the newest generation of high-performance workstations running 32-bit Smalltalk, Lisp, C++ and other COP (object oriented programming) environments. With a two-layer cache and 50ns DRAM object memory, the hardware is capable of accessing object data (including ...

**Keywords:** RISC, binary-buddy allocation, capability-based protection

14 Object voxelization by filtering



Miloš Šrámek, Arie Kaufman

October 1998 **Proceedings of the 1998 IEEE symposium on Volume visualization**

Full text available: pdf(906.41 KB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**Keywords:** error estimation, filter-based voxelization, hierarchical subdivision, normal estimation, parametric surfaces, volume graphics, volume rendering

15 The sensing board enhanced by interactive sound system for collaborative work



Fusako Kusunoki, Ayako Isyama, Kouji Tokiwa, Takuichi Nishimura

September 2004 **Proceedings of the 2004 ACM SIGCHI International Conference on Advances in computer entertainment technology**

Full text available: pdf(792.64 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In this paper, we describe a new sensing board system enhanced with audio devices. Our previous board system provides users with common display images using tangible pieces, thus, users collaboratively work with visual and tangible information. On the other hand, the proposed system is characterized by the functionality of the direct responses of both sounds and images from the contents. Using the system, we develop three application systems with the following objectives: (1) Users enjoy interac ...

**Keywords:** CSCW, RFID, individual sound

**16 Hierarchical disk cache management in RAID 5 controller**

Jung-ho Huh, Tae-mu Chang

December 2003 **Journal of Computing Sciences in Colleges**, Volume 19 Issue 2

Full text available:  [pdf\(137.71 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In RAID system, disk cache is one of the important elements in improving the system performance. Two-level cache displays superior performance in comparison to single cache and is effective in temporal and spatial locality. The proposed cache system consists in two levels. The first level cache is a set associative cache with small block size whereas the second level cache is a fully associative cache with large block size. In this paper, a RAID 5 disk cache model is presented that is located on ...

**17 Topology control & mobility: Modelling and performance analysis of the distributed scheduler in IEEE 802.16 mesh mode**

Min Cao, Wenchao Ma, Qian Zhang, Xiaodong Wang, Wenwu Zhu

May 2005 **Proceedings of the 6th ACM international symposium on Mobile ad hoc networking and computing**

Full text available:  [pdf\(295.19 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)


To meet the needs of wireless broadband access, the IEEE 802.16 protocol for wireless metropolitan networks (WirelessMAN) has been recently standardized. The medium access control (MAC) layer of the IEEE 802.16 has point-to-multipoint (PMP) mode and mesh mode. Previous works on the IEEE 802.16 have primarily focused on the PMP mode. In the mesh mode, all nodes are organized in an ad hoc fashion and use a pseudo-random function to calculate their transmission time based on the scheduling informat ...

**Keywords:** 802.16, mesh, performance, scheduling, wireless

**18 The design of a class mechanism for Moby**

Kathleen Fisher, John Reppy

May 1999 **ACM SIGPLAN Notices , Proceedings of the ACM SIGPLAN 1999 conference on Programming language design and implementation**, Volume 34 Issue 5

Full text available:  [pdf\(1.50 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Typical class-based languages, such as C++ and JAVA, provide complex class mechanisms but only weak module systems. In fact, classes in these languages incorporate many of the features found in richer module mechanisms. In this paper, we describe an alternative approach to designing a language that has both classes and modules. In our design, we rely on a rich ML-style module system to provide features such as visibility control and parameterization, while providing a minimal class mechanism tha ...

**19 Practical use of a polymorphic applicative language**

Butler W. Lampson, Eric E. Schmidt

January 1983 **Proceedings of the 10th ACM SIGACT-SIGPLAN symposium on Principles of programming languages**

Full text available:  [pdf\(1.84 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

Assembling a large system from its component elements is not a simple task. An adequate notation for specifying this task must reflect the system structure, accommodate many configurations of the system and many versions as it develops, and be a suitable input to the many tools that support software development. The language described here applies

the ideas of  $\lambda$ -abstraction, hierarchical naming and type-checking to this problem. Some preliminary experience with its use is also given.

20 Developing adaptive systems to fit individual aptitudes

David Benyon, Dianne Murray

February 1993 **Proceedings of the 1st international conference on Intelligent user interfaces**

Full text available:  [pdf\(718.26 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**Keywords:** adaptive interfaces, individual differences, user models

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	23792	application\$1 adj program\$5 adj interface\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 01:44
L2	49451	L1 api\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 01:36
L3	7976	black adj2 box\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 01:37
L4	56857	2 xor L3 2 and L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 01:37
L5	1696032	tabl\$4 tabular\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 01:38
L6	7730	L5 same 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 01:45
L7	7976	3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 01:38
L8	371	L5 same 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 01:38
L9	4	6 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 01:38

L10	3	9 and @ad<"19981222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 01:46
L11	1028998	interface\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 01:44
L12	62626	L5 same 11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 01:45
L13	2543	12 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 01:46
L14	34	12 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 01:46
L15	10	14 and @ad<"19981222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 01:46

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	23792	application\$1 adj program\$5 adj interface\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 00:02
L8	7976	black adj2 box\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 00:04
L9	83	("4622013" or "4874784" or "4931950" or "4964077" or "4977529" or "5002491" or "5170464" or "5189402" or "5208745" or "5208898" or "5239617" or "5259766" or "5310349" or "5311422" or "5317688" or "5326270" or "5359701" or "5372507" or "5395243" or "5441415" or "5491743" or "5533903" or "5535422" or "5537141" or "5539869" or "5566291" or "5576844" or "5577186" or "5597312" or "5616033" or "5644686" or "5644727" or "5673369" or "5690496" or "5696885" or "5701400" or "5720007" or "5727161" or "5727950" or "5745652" or "5772446" or "5779468" or "5788508" or "5791907" or "5799151" or "5799292" or "5806056" or "5810747" or "5822745" or "5823781" or "5823788" or "5835683" or "5868575" or "5870768" or "5875437" or "5889845" or "5893123" or "5911581" or "5974446" or "6003021" or "6015348" or "6016486" or "6018730" or "6018731" or "6018732" or "6023691" or "6023692" or "6026386" or "6029156" or "6029158" or "6029159" or "6032141" or "6064998" or "6067537" or "6067538" or "6073127" or "6085184" or "6101489" or "6125358" or "6134539" or "5267865" or "5987443" or "4891766").pn.	USPAT	OR	ON	2005/07/02 00:05

L10	83	("4622013" or "4874784" or "4931950" or "4964077" or "4977529" or "5002491" or "5170464" or "5189402" or "5208745" or "5208898" or "5239617" or "5259766" or "5310349" or "5311422" or "5317688" or "5326270" or "5359701" or "5372507" or "5395243" or "5441415" or "5491743" or "5533903" or "5535422" or "5537141" or "5539869" or "5566291" or "5576844" or "5577186" or "5597312" or "5616033" or "5644686" or "5644727" or "5673369" or "5690496" or "5696885" or "5701400" or "5720007" or "5727161" or "5727950" or "5745652" or "5772446" or "5779468" or "5788508" or "5791907" or "5799151" or "5799292" or "5806056" or "5810747" or "5822745" or "5823781" or "5823788" or "5835683" or "5868575" or "5870768" or "5875437" or "5889845" or "5893123" or "5911581" or "5974446" or "6003021" or "6015348" or "6016486" or "6018730" or "6018731" or "6018732" or "6023691" or "6023692" or "6026386" or "6029156" or "6029158" or "6029159" or "6032141" or "6064998" or "6067537" or "6067538" or "6073127" or "6085184" or "6101489" or "6125358" or "6134539" or "5267865" or "5987443" or "4891766").pn.	USPAT	OR	ON	2005/07/02 00:05
L11	0	L10 xor L9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 00:05



L12	83	("4622013", "4874784", "4981766", "4931950", "4964077", "4977529", "5002491", "5170464", "5189402", "5208745", "5208898", "5239617", "5259766", "5267865", "5310349", "5311422", "5317688", "5326270", "5359701", "5372507", "5395243", "5441415", "5491743", "5533903", "5535422", "5537141", "5539869", "5566291", "5576844", "5577186", "5597312", "5616033", "5644686", "5644727", "5673369", "5690496", "5696885", "5701400", "5720007", "5727161", "5727950", "5745652", "5772446", "5779468", "5788508", "5791907", "5799151", "5799292", "5806056", "5810747", "5822745", "5823781", "5823788", "5835683", "5868575", "5870768", "5875437", "5889845", "5893123", "5911581", "5974446", "5987443", "6003021", "6015348", "6016486", "6018730", "6018731", "6018732", "6023691", "6023692", "6026386", "6029156", "6029158", "6029159", "6032141", "6064998", "6067537", "6067538", "6073127", "6085184", "6101489", "6125358", "6134539").pn.	USPAT	OR	ON	2005/07/02 00:05
L13	2	10 xor L12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 00:07
L14	25	7 and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 00:07

L15	21	8 and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 00:07
L16	412	7 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 00:07
L17	21	16 and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 00:09
L18	16	7 same 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 00:08
L19	0	18 and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 00:08
L20	0	17 and @ad<"19981222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 00:10
L21	58	("5987443" "6003021" "6134539" "6067537" "6032141" "6535861" "6073127" "6023691" "6101489" "6026386" "6067538" "6542880" "6085184" "6016486" "6023692" "6029158" "6029156" "6018732" "6018731" "6125358" "6064998" "6018730" "6029159" "6622003" "6591256" "6282362" D372435 "6284947" "6658398" "6549893" "6493690" "6452070" "6611822" "5694601" "5701400" "5827070" "5170464" "5372507" "5727161" "5,528,516" "5,581,749" "5,907, 705").pn. or ("20020035478" "20010016839" "20030172082" "20020171982" "20030163361" "20030041040" "20020090595" "20020067822" "20030106040" "20020161777" "20030093831" "20030041343" "20030084015" "20030023686" WO-9744766-\$ WO-9832109-\$).did.	US-PGPUB; USPAT; EPO	OR	ON	2005/07/02 00:09

L22	34	16 and L21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 00:09
L23	180776	"221" and @ad<"19981222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 00:10
L24	34	22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 00:10
L25	0	22 and @ad<"19981222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 00:17



L35	1640	("2612533"   "2777901" "2826828"   "2908767" "2921385"   "3008000" "3020360"   "3061945" "3194895"   "3221098" "3237318"   "3245157" "3255536"   "3273260" "3284923"   "3311995" "3343280"   "3366731" "3387084"   "3405457" "3440342"   "3477144" "3484950"   "3485946" "3491464"   "3497968" "3538621"   "3546791" "3566482"   "3575861" "3602582"   "3606688" "3623238"   "3639629" "3647926"   "3665615" "3671668"   "3708891" "3725571"   "3730980" "3749892"   "3757037" "3757225"   "3763577" "3774316"   "3784979" "3814841"   "3833760" "3849594"   "3857999" "3860745"   "3878560" "3902007"   "3916092" "3936595"   "3947972" "3987484"   "3988528" "3991266"   "4034990" "4044380"   "4045789" "4060915"   "4121283" "4190835"   "4245245" "4264924"   "4264925" "4289313"   "4290142" "4292649"   "4305131" "4331974"   "4333152" "4337048"   "4359223" "4360345"   "4361730" "4381522"   "4384284" "4416454"   "4422105" "4439784"   "4445137" "4445187"   "4466023" "4474098"   "4490810" "4500964"   "4503499" "4507680"   "4516156" "4518361"   "4530008" "4536791"   "4538994" "4541056"   "4545767" "4546382"   "4555730" "4558413"   "4569026" "4571640"   "4573072" "4574305"   "4576578" "4578555"   "4586905" "4591248"   "4591983" "4598324"   "4599611" "4601003"   "4602134" "4602277"   "4613952" "4616261"   "4617661" "4620386"   "4622013"	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/02 00:12
BEST AVAILABLE COPY						
Search History 7/2/05, 12:38:50 AM, Page 32 C:\Documents and Settings\MBell\My Documents\EAST\Workspaces\09868695.wsp 4616261 4617661						

L36	2447	30 xor 35 30 and 35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 00:12
-----	------	---------------------	---	----	----	------------------

L41	709	("3749892"   "3774164"   "3798360"   "3872483"   "3882512"   "3906523"   "3968505"   "4053240"   "4064515"   "4074324"   "4122521"   "4131919"   "4149795"   "4175848"   "4333144"   "4348739"   "4361388"   "4377852"   "4405829"   "4418425"   "4432057"   "4454579"   "4455619"   "4489351"   "4525780"   "4530051"   "4541010"   "4575816"   "4622013"   "4626898"   "4635203"   "4642767"   "4652940"   "4658370"   "4671772"   "4673802"   "4680628"   "4695959"   "4702585"   "4704632"   "4705372"   "4709266"   "4714992"   "4727243"   "4734854"   "4736094"   "4754280"   "4754409"   "4772206"   "4791589"   "4792904"   "4792907"   "4809170"   "4814711"   "4820167"   "4823304"   "4837628"   "4841441"   "4846693"   "4847784"   "4860204"   "4860352"   "4864616"   "4866634"   "4866635"   "4867685"   "4868744"   "4868866"   "4874784"   "4877404"   "4881166"   "4882674"   "4882727"   "4884218"   "4887296"   "4891766"   "4895518"   "4901231"   "4910691"   "4916737"   "4920499"   "4928236"   "4930014"   "4930071"   "4931950"   "4935882"   "4942527"   "4945474"   "4949089"   "4949278"   "4953209"   "4961133"   "4964077"   "4970657"   "4972254"   "4977529"   "4981766"   "4984180"   "4993067"   "4995088"   "4997529"   "5002491"   "5006992"   "5007013"   "5008853"   "5011413"   "5014220"   "5025392"   "5033969"   "5034898"   "5036344"   "5036484"   "5038296"   "5040068"   "5041134"   "5049615"   "5045937"   "5058000"   "5050127"   "5052040"	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/02 00:16
BEST AVAILABLE COPY						
Search History 7/2/05 12:38:50 AM C:\Documents and Settings\MBell2\My Documents\EAST\Workspaces\09868695.wsp						

L42	35	16 and 36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 00:17
L43	29	16 and 41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 00:17
L44	1	42 and @ad<"19981222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 00:19
L45	0	43 and @ad<"19981222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 00:17
L46	99	7 and 36 and @ad<"19981222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 00:21
L47	15	8 and 36 and @ad<"19981222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 00:20
L48	4	14 and @ad<"19981222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 00:21
L49	0	15 and @ad<"19981222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 00:21



Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S280	83	("4622013" or "4874784" or "4931950" or "4964077" or "4977529" or "5002491" or "5170464" or "5189402" or "5208745" or "5208898" or "5239617" or "5259766" or "5310349" or "5311422" or "5317688" or "5326270" or "5359701" or "5372507" or "5395243" or "5441415" or "5491743" or "5533903" or "5535422" or "5537141" or "5539869" or "5566291" or "5576844" or "5577186" or "5597312" or "5616033" or "5644686" or "5644727" or "5673369" or "5690496" or "5696885" or "5701400" or "5720007" or "5727161" or "5727950" or "5745652" or "5772446" or "5779468" or "5788508" or "5791907" or "5799151" or "5799292" or "5806056" or "5810747" or "5822745" or "5823781" or "5823788" or "5835683" or "5868575" or "5870768" or "5875437" or "5889845" or "5893123" or "5911581" or "5974446" or "6003021" or "6015348" or "6016486" or "6018730" or "6018731" or "6018732" or "6023691" or "6023692" or "6026386" or "6029156" or "6029158" or "6029159" or "6032141" or "6064998" or "6067537" or "6067538" or "6073127" or "6085184" or "6101489" or "6125358" or "6134539" or "5267865" or "5987443" or "4891766").pn.	USPAT	OR	ON	2005/07/01 22:08
S281	3882162	component\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 22:12
S282	1696032	tabl\$4 tabular\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 22:12

S28 3	822575	S281 and S282	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 22:13
S28 4	56	S280 and S283	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 22:13
S28 5	195938	S281 same S282	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 22:13
S28 6	56913	S281 near5 S282	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 22:14
S28 7	11	S280 and S285	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 22:14
S28 8	5	S280 and S286	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 22:14

S28 9	83	("4622013" or "4874784" or "4931950" or "4964077" or "4977529" or "5002491" or "5170464" or "5189402" or "5208745" or "5208898" or "5239617" or "5259766" or "5310349" or "5311422" or "5317688" or "5326270" or "5359701" or "5372507" or "5395243" or "5441415" or "5491743" or "5533903" or "5535422" or "5537141" or "5539869" or "5566291" or "5576844" or "5577186" or "5597312" or "5616033" or "5644686" or "5644727" or "5673369" or "5690496" or "5696885" or "5701400" or "5720007" or "5727161" or "5727950" or "5745652" or "5772446" or "5779468" or "5788508" or "5791907" or "5799151" or "5799292" or "5806056" or "5810747" or "5822745" or "5823781" or "5823788" or "5835683" or "5868575" or "5870768" or "5875437" or "5889845" or "5893123" or "5911581" or "5974446" or "6003021" or "6015348" or "6016486" or "6018730" or "6018731" or "6018732" or "6023691" or "6023692" or "6026386" or "6029156" or "6029158" or "6029159" or "6032141" or "6064998" or "6067537" or "6067538" or "6073127" or "6085184" or "6101489" or "6125358" or "6134539" or "5267865" or "5987443" or "4891766").pn.	USPAT	OR	ON	2005/07/01 22:45
S29 0	3882162	component\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 22:31
S29 1	1696032	tabl\$4 tabular\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 22:31

S29 2	56913	S290 near5 S291	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 22:31
S29 3	5	S289 and S292	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 22:31
S29 4	4	S293 and @ad<"19981222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 00:01
S29 5	195938	S290 same S291	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 22:31
S29 6	11	S289 and S295	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 22:31
S29 7	10	S296 and @ad<"19981222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/02 00:08
S29 8	822575	S290 and S291	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 22:31
S29 9	56	S289 and S298	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 22:31
S30 0	35	S299 and @ad<"19981222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 22:31


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used [~interfaces](#) [~table](#)

Found 40 of 157,956

Sort results by


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results


[Search Tips](#)
☐ Open results in a new window

Results 21 - 40 of 40

 Result page: [previous](#) [1](#) [2](#) [3](#)

 Relevance scale ☐ ☐ ☐ ☐ ☐

## 21 [Managing the software design documents with XML](#)

Junichi Suzuki, Yoshikazu Yamamoto

 September 1998 **Proceedings of the 16th annual international conference on Computer documentation**

 Full text available: [pdf\(1.09 MB\)](#)

 Additional Information: [full citation](#), [references](#), [index terms](#)

**Keywords:** CASE data interchange, UML, XML, software model interchange

## 22 [A wimp no more: the maturing of user interface engineering](#)

Bill Curtis, Bill Hefley

 January 1994 **interactions**, Volume 1 Issue 1

 Full text available: [pdf\(1.40 MB\)](#)

 Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)


## 23 [A Prediction Packetizing Scheme for Reducing Channel Traffic in Transaction-Level Hardware/Software Co-Emulation](#)

Jae-Gon Lee, Moo-Kyoung Chung, Ki-Yong Ahn, Sang-Heon Lee, Chong-Min Kyung

 March 2005 **Proceedings of the conference on Design, Automation and Test in Europe - Volume 1**

 Full text available: [pdf\(149.80 KB\)](#)

 Additional Information: [full citation](#), [abstract](#)


This paper presents a scheme for efficient channel usage between simulator and accelerator where the accelerator models some RTL sub-blocks in the accelerator-based hardware/software co-simulation while the simulator runs transaction-level model of the remaining part of the whole chip being verified. With conventional simulation accelerator, evaluations of simulator and accelerator alternate at every valid simulation time, which results in poor simulation performance due to startup overhead of s ...

## 24 [A synchronization model for hypermedia documents navigation](#)

Augusto Celentano, Ombretta Gaggi

 March 2000 **Proceedings of the 2000 ACM symposium on Applied computing - Volume 2**

 Full text available: [pdf\(606.74 KB\)](#)

 Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)


**Keywords:** World Wide Web, hypermedia, interactive presentation, media delivery, synchronization

**25** Verification validation and accreditation of simulation models

Osman Balci

December 1997 **Proceedings of the 29th conference on Winter simulation**


Full text available:  [pdf\(655.79 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)



**26** XORP: an open platform for network research

Mark Handley, Orion Hodson, Eddie Kohler

January 2003 **ACM SIGCOMM Computer Communication Review**, Volume 33 Issue 1

Full text available:  [pdf\(149.96 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


Network researchers face a significant problem when deploying software in routers, either for experimentation or for pilot deployment. Router platforms are generally not open systems, in either the open-source or the open-API sense. In this paper we discuss the problems this poses, and present an eXtensible Open Router Platform (XORP) that we are developing to address these issues. Key goals are extensibility, performance and robustness. We show that different parts of a router need to prioritiz ...



**27** Technical correspondence: An abstract intermediate representation in compilation systems

Dai Guilan, Tian Jinlan, Zhang Suqing, Jiang Weidu

February 2003 **ACM SIGPLAN Notices**, Volume 38 Issue 2

Full text available:  [pdf\(504.82 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

The design of an intermediate representation is critical to the portability of a compiler and the efficiency of code generation. In order to increase the reusability of compiler components, and to simplify the development process of compilers, the paper presents an abstract intermediate representation (AIR) that provides a concise notation for describing the abstract syntax of programming languages and the inner data structures of compilers. AIR integrates algebraic data types into the object-or ...


**Keywords:** algebraic datatypes, compiler infrastructures, intermediate representations, object-orientation



**28** Access to graphical interfaces for blind users

W. Keith Edwards, Elizabeth D. Mynatt, Kathryn Stockton

January 1995 **interactions**, Volume 2 Issue 1

Full text available:  [pdf\(1.76 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#), [review](#)



**29** Designing database interfaces with DBface

Roger King, Michael Novak

April 1993 **ACM Transactions on Information Systems (TOIS)**, Volume 11 Issue 2

Full text available:  [pdf\(1.86 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

DBface is a toolkit for designing interfaces to object-oriented databases. It provides users



with a set of tools for building custom interfaces with minimal programming. This is accomplished by combining techniques from User Interface Management Systems (UIMS) with a built-in knowledge about the specific kinds of techniques used by object-oriented databases. DBface allows users to create graphical constructs and interactive techniques by taking advantage of an object-oriented database envir ...

**Keywords:** graphical interfaces, object-oriented databases, user interface management systems

30 A formal approach for designing CORBA-based applications

Alberto Coen-Porisini, Matteo Pradella, Matteo Rossi, Dino Mandrioli

April 2003 **ACM Transactions on Software Engineering and Methodology (TOSEM)**,

Volume 12 Issue 2

Full text available:  pdf(478.44 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The design of distributed applications in a CORBA-based environment can be carried out by means of an incremental approach, which starts from the specification and leads to the high-level architectural design. This article discusses a methodology to transform a formal specification written in TRIO into a high-level design document written in an extension of TRIO, named TRIO/CORBA (TC). The TC language is suited to formally describe the high-level architecture of a CORBA-based application. As a r ...

**Keywords:** CORBA, architectural design, control systems, formal methods, frameworks, object orientation, supervision, temporal logic

31 Software engineering for user interfaces

Stephen W. Draper, Donald A. Norman

March 1984 **Proceedings of the 7th international conference on Software engineering**

Full text available:  pdf(706.75 KB)


Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The discipline of Software Engineering can be extended in a natural way to deal with the issues raised by a systematic approach to the design of human-machine interfaces. Two main points are made: that the user should be treated as part of the system being designed, and that projects should be organized to take account of the current (small) state of a priori knowledge about how to design interfaces. Because the principles of good user-interface design ...

32 Maiday: An environment for guided programming with a definitional language

Jacques Guyard, Jean-Pierre Jacquot

March 1984 **Proceedings of the 7th international conference on Software engineering**

Full text available:  pdf(1.08 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

MAIDAY is a programming environment that provides methodological assistance. It supports a definitional language in which the user defines objects instead of manipulating variables as in typical programming languages. In this paper we present the heart of the system: the editor EDME. Editing commands operate only upon the logical structure of the algorithm rather than upon its abstract tree structure. This logical structure is concrete and stratified into four levels. On each level the user ...

**Keywords:** Definitional Language, Modularity, Programming Environment, Programming Methodology

**33 Migratory applications**

Krishna A. Bharat, Luca Cardelli

December 1995 **Proceedings of the 8th annual ACM symposium on User interface and software technology**

Full text available: pdf(1.19 MB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**Keywords:** application checkpointing, application migration, collaborative work, interactive agents, mobile computing, safety, ubiquitous computing

**34 REX—a VLSI parasitic extraction tool for electromigration and signal analysis**

Jerry P. Hwang

June 1991 **Proceedings of the 28th conference on ACM/IEEE design automation**

Full text available: pdf(668.33 KB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)**35 The use of a meta-assembler to design an M code interpreter on AMD2900 chips**

Stanley Habib, Xue-Liang Yang

December 1981 **ACM SIGMICRO Newsletter , Proceedings of the 14th annual workshop on Microprogramming**, Volume 12 Issue 4

Full text available: pdf(960.39 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

There have been several machine designs using microprogrammed control which interpretively execute intermediate code such as P code and earlier version such as POPS. The recently announced Modula language uses M code as an intermediate language. This paper describes how an AM-DAM2900 bit slice architecture was used to implement the interpretive execution of M code. The microcontrol is microprogrammed using the standard AMD AM2900 microfunctions to execute the M code. The design was tested as ...

**36 Time weaver: a software-through-models framework for embedded real-time systems**

Dionisio de Niz, Raj Rajkumar

June 2003 **ACM SIGPLAN Notices , Proceedings of the 2003 ACM SIGPLAN conference on Language, compiler, and tool for embedded systems**, Volume 38 Issue 7

Full text available: pdf(467.76 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Embedded real-time systems are deployed in a wide range of application domains including transportation systems, automated manufacturing, process control, defense, aerospace, and telecommunications. These systems must satisfy not only logical functional requirements but also *para-functional* properties such as timeliness, Quality of Service (QoS) and reliability. The cross-cutting behaviors imposed by these para-functional properties and dependencies on operational characteristics (e.g. ha ...

**Keywords:** couplers, embedded, real-time, semantic dimension, semantic separation, software-through-models

**37 The complexity of online groups: a case study of asynchronous collaboration**February 2001 **ACM Journal of Computer Documentation (JCD)**, Volume 25 Issue 1

Full text available: pdf(107.97 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Work preparing documents is increasingly being done by diverse, geographically separated project teams. This essay describes some of the characteristics of such collaboration and



applies them to a case study involving a team composing a mission statement. The group succeeded in their task, even though shortcomings inherent in asynchronous, distributed collaboration did lead to some problems.

**Keywords:** CSCW, collaboration, groupware, online publishing

### 38 Advisory systems for pro se litigants

L. Karl Branting

May 2001 **Proceedings of the 8th international conference on Artificial intelligence and law**

Full text available:  pdf(189.29 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Increasing numbers of litigants represent themselves in court. Advisory systems designed to help litigants understand the available legal remedies and satisfy the substantive and procedural requirements to obtain those remedies have the potential to assist these litigants and thereby reduce the burden that they impose on the courts. This paper presents a four-component model of advisory systems for prose litigants. This model was implemented in the Protection Order Advisory (POA), an advisory ...

### 39 Collaboration using multiple PDAs connected to a PC

Brad A. Myers, Herb Stiel, Robert Gargiulo

November 1998 **Proceedings of the 1998 ACM conference on Computer supported cooperative work**


Full text available:  pdf(1.27 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**Keywords:** PalmPilot, amulet, pebbles, personal digital assistants, single display groupware

### 40 Graphic designers in transition: from print communications to interactive media design

Brenda Smith Faison

January 1996 **interactions**, Volume 3 Issue 1

Full text available:  pdf(2.16 MB) Additional Information: [full citation](#), [index terms](#), [review](#)

Results 21 - 40 of 40

Result page: [previous](#) [1](#) [2](#) [3](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



Enter Web Address:

All

Take Me Back

Adv. Search Compare Arch

Searched for <http://www.calsci.com/Applications.html>

36 Results

Note some duplicates are not shown. [See all](#).  
\* denotes when site was updated.

Search Results for Jan 01, 1996 - Jul 02, 2005

1996	1997	1998	1999	2000	2001	2002	2003	
0	0	1 pages	3 pages	3 pages	4 pages	3 pages	5 pages	:
pages	pages							
		<a href="#">Dec 01, 1998</a>	* <a href="#">Mar 02, 1999</a>	* <a href="#">Nov 17, 2000</a>	* <a href="#">Feb 14, 2001</a>	* <a href="#">Aug 02, 2002</a>	* <a href="#">Apr 10, 2003</a>	<a href="#">Feb 10, 2003</a>
			<a href="#">Apr 22, 1999</a>	<a href="#">Dec 04, 2000</a>	* <a href="#">Jun 07, 2001</a>	* <a href="#">Oct 14, 2002</a>	<a href="#">Jun 02, 2003</a>	<a href="#">Jun 10, 2003</a>
			<a href="#">Oct 13, 1999</a>	<a href="#">Dec 05, 2000</a>	<a href="#">Aug 15, 2001</a>	<a href="#">Dec 08, 2002</a>	* <a href="#">Aug 02, 2003</a>	<a href="#">Jun 10, 2003</a>
					<a href="#">Dec 17, 2001</a>		<a href="#">Oct 01, 2003</a>	<a href="#">Jun 10, 2003</a>
							<a href="#">Dec 02, 2003</a>	<a href="#">Aug 10, 2003</a>
								<a href="#">Aug 10, 2003</a>
								<a href="#">Aug 10, 2003</a>
								<a href="#">Oct 10, 2003</a>
								<a href="#">Nov 10, 2003</a>
								<a href="#">Nov 10, 2003</a>

[Home](#) | [Help](#)

[Copyright © 2001, Internet Archive](#) | [Terms of Use](#) | [Privacy Policy](#)



USPTO

[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)Search: ☒ The ACM Digital Library ☐ The Guide

+"~black ~boxes ~table"



## Nothing Found

Your search for +"~black ~boxes ~table" did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

### Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a + if a search term must appear on a page.

museum +art

- Exclude pages by using a - if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

## Warning: Page has Expired

The page you requested was created using information you submitted in a form. This page is no longer available. As a security precaution, Internet Explorer does not automatically resubmit your information for you.

To resubmit your information and view this Web page, click the **Refresh** button.


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

+"~black ~boxes ~table"

Search

[Advanced Search](#)  
[Preferences](#)

## Web

Results 1 - 2 of 2 for +"~black ~boxes ~table". (0.43 seconds)

Tip: Try removing quotes from your search to get more results.

## Sponsored Links

**[PDF] The Problem**File Format: PDF/Adobe Acrobat - [View as HTML](#)... interface (signals shown in the **black boxes**). Table 6.1: Pins added/removed when converting from memory-only to memory or I/O interface ...eemmi.sogang.ac.kr/course/data/41433/pcmcia.pdf - Supplemental Result - [Similar pages](#)**[PDF] 1999-2000 SR**File Format: PDF/Adobe Acrobat - [View as HTML](#)... **Table 1**: Sensitivity of the ST in 27 experimentally infected animals (16.6 x 10<sup>6</sup> B. abortus strain 544 via the conjunctival route) according to four different ...var.fgov.be/pdf/var\_scientific\_report\_1999\_2000.pdf - Supplemental Result - [Similar pages](#)**Black Tables**

Shop fast.

Buy smart.

Shopzilla.com

**Boxes**

Find the Perfect Favors &amp; More.

Shop Oriental Trading® Company.

www.OrientalTrading.com

**Black Table**

Find, compare and buy Furniture!

Simply Fast Savings

www.Shopping.com

**The Box Depot****Boxes** at Wholesale Prices

A variety of Sizes-Designs &amp; Colors

www.theboxdepot.com

**Black Table**New & used **Black Table**. aff

Check out the deals now!

www.ebay.com

**Furniture Boxes**

Compare instant bottom-line prices.

Fast. Free. Easy. You save money.

PriceGrabber.com

**Design boxes online**Design & make custom **boxes**


online with our free CAD.

www.emachineshop.com

**Boxes**Huge selection of **Boxes**.

Low prices, cheap shipping, secure.

www.MonsterMarketPlace.com



[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

**Search Results****BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "((black boxes table)&lt;in&gt;metadata)"

Print

Your search matched **0** of **1189536** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.[» View Session History](#)[» New Search](#)[» Key](#)**Modify Search****IEEE JNL** IEEE Journal or Magazine☐ Check to search only within this results set**IEE JNL** IEE Journal or Magazine**Display Format:** ☒ Citation ☐ Citation & Abstract**IEEE CNF** IEEE Conference Proceeding**IEE CNF** IEE Conference Proceeding**No results were found.****IEEE STD** IEEE Standard

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisir

indexed by  
 Inspec[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2005 IEEE –



[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |**Search Results****BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "((interfaces table)&lt;in&gt;metadata)"

e-mail


Your search matched 1 of 1189536 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.[» View Session History](#)[» New Search](#)**» Key**Indicates full text  
access**IEEE JNL** IEEE Journal or  
Magazine**IEE JNL** IEE Journal or  
Magazine**IEEE  
CNF** IEEE Conference  
Proceeding**IEE CNF** IEE Conference  
Proceeding**IEEE  
STD** IEEE Standard**Modify Search**☐ Check to search only within this results set**Display Format:** ☒ Citation ☐ Citation & Abstract

- ☐
- 1. 2004 9th International Symposium on Advanced Packaging Materials: Processes Interfaces Table of Contents & Program**  
Advanced Packaging Materials: Processes, Properties and Interfaces, 2004. Proceedir  
International Symposium on  
2004 Page(s):iii - vi  
Full Text: [PDF](#)(1335 KB) **IEEE CNF**

[View Selected Items](#)indexed by  
 Inspec[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE -

**Web**

Results 1 - 1 of about 3 for "~interfaces ~table". (0.17 seconds)


Did you mean: "**~interfaces ~table**"Re: AD Suffix

and then it deletes the > interface, it happend when it makes a the demandpoll,  
I have get the > **interfaces table** via SNMP and the router still reports all ...

lists.skills-1st.co.uk/mharc/ html/nv-l/2000-12/msg00396.html - 10k - [Cached](#) - [Similar pages](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 1 already displayed.*

*If you like, you can repeat the search with the omitted results included.*

Did you mean to search for: "**~interfaces ~table**"[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)Search: ☒ The ACM Digital Library ☐ The Guide

+"~intefaces ~table"



## Nothing Found

Your search for **+"~intefaces ~table"** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

### Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a **+** if a search term must appear on a page.

museum +art

- Exclude pages by using a **-** if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)